DOOR SCHEDULE

NOTE:
1. DOOR RATING IS IN FRACTION OF HOUR

MAX. EFFORT TO OPERATE DOORS SHALL NOT EXCEED THE FOLLOWING:
INTERIOR DOORS - 5 POUNDS
EXTERIOR DOORS - 8 1/2 POUNDS
FIRE DOORS - 15 POUNDS
PER TITLE 24, PART 2, SEC. 1004.5.1

DOOR NO.	DOOR OPENING	DOOR TYPE	DOOR MATERIAL (HM=HOLLOW METAL)	FINISH (P=PAINT)	GLASS	FIRE RATING MINUTES	FRAME MATERIAL	FRAME TYPE	HARDWARE	DETAILS: HEAD NO.	JAMB STRIKE	JAMB HINGE	SILL THRESHOLD	PANIC HARDWARE	REMARKS	SIGNAGE SEE SHEET A8.1
'A' WING																
A1a	3'-0"x7'-0"	D	HM	P	—	—	HM	1	23G	(E)	(E)	(E)	(E)			C,D
A1b	3'-0"x7'-0"	(E)	(E)	(E)	—	—	(E)	1	23J	(E)	(E)	(E)	(E)	PH		C4/A9.1
A2a	3'-0"x7'-0"	(E)	(E)	(E)	—	20	(E)	1	26	(E)	(E)	(E)	(E)			C,G
A3a	3'-0"x7'-0"	(E)	(E)	(E)	—	20	(E)	1	22F	(E)	(E)	(E)	(E)			C,G
A4a	3'-0"x7'-0"	(E)	(E)	(E)	—	20	(E)	1	26	(E)	(E)	(E)	(E)			C,G
A5a	3'-0"x7'-0"	(E)	(E)	(E)	—	20	(E)	1	26	(E)	(E)	(E)	(E)			C,G
A5b	3'-0"x7'-0"	(E)	(E)	(E)	—	—	(E)	1	23J	(E)	(E)	(E)	(E)	PH		D
A6a	3'-0"x7'-0"	(E)	(E)	(E)	—	20	(E)	1	26	(E)	(E)	(E)	(E)			C,G
A6b	3'-0"x7'-0"	(E)	(E)	(E)	—	—	(E)	1	23J	(E)	(E)	(E)	(E)	PH		D
A7a	3'-0"x7'-0"	(E)	(E)	(E)	—	90	(E)	1	22C	(E)	(E)	(E)	(E)			C,G
A7b	3'-0"x7'-0"	(E)	(E)	(E)	—	—	(E)	1	23J	(E)	(E)	(E)	(E)	PH		D
A8a	3'-0"x7'-0"	(E)	(E)	(E)	—	20	(E)	1	26	(E)	(E)	(E)	(E)			C,G
A9a	3'-0"x7'-0"	(E)	(E)	(E)	—	20	(E)	1	26	(E)	(E)	(E)	(E)			C,G
A10a	3'-0"x7'-0"	(E)	(E)	(E)	—	20	(E)	1	26	(E)	(E)	(E)	(E)			C,G
A11a	3'-0"x7'-0"	(E)	(E)	(E)	—	20	(E)	1	26	(E)	(E)	(E)	(E)			C,G
A12a	3'-0"x7'-0"	(E)	(E)	(E)	—	20	(E)	1	26	(E)	(E)	(E)	(E)			B,G
A13a	3'-0"x7'-0"	D	HM	P	—	20	HM	1	26	A1/A9.3	A1/A9.3	—	C1/A9.3		SEE DTL. A6B / A9.2	C,G
A14a	3'-0"x7'-0"	(E)	(E)	(E)	—	20	(E)	1	26	(E)	(E)	(E)	(E)			B,G
A15a	3'-0"x7'-0"	D	HM	P	—	20	HM	1	26	A1/A9.3	A1/A9.3	—	C1/A9.3		SEE DTL. A6B / A9.2	C,G
A16a	NOT USED															
A17a	3'-0"x7'-0"	D	HM	P	—	20	HM	1	18	A1/A9.3	A1/A9.3	—	C2/A9.3			B,C
A18a	3'-0"x7'-0"	D	HM	P	—	20	HM	1	16	A1/A9.3	A1/A9.3	—	C1/A9.3			C,G
A18b	3'-0"x7'-0"	D	HM	P	—	20	HM	1	26	A1/A9.3	A1/A9.3	—	C1/A9.3			C,G
A19a	3'-0"x7'-0"	D	HM	P	—	20	HM	1	26	A1/A9.3	A1/A9.3	—	C2/A9.3			
A20a	3'-0"x7'-0"	(E)	(E)	(E)	—	90	(E)	1	26	(E)	(E)	(E)	(E)			C,G
A20b	3'-0"x7'-0"	(E)	(E)	(E)	—	90	(E)	1	22B	(E)	(E)	(E)	(E)		REMOVE (E) LATCH OR CLOSER.	B
A21a	3'-0"x7'-0"	D	HM	P	—	20	HM	1	26	A1/A9.3	A1/A9.3	—	C3/A9.3			A,C
A22a		(E)	(E)	(E)	—	—	(E)	1	—	(E)	(E)	(E)	(E)			B
A23a	3'-0"x7'-0"	D	HM	P	—	20	HM	1	26	A1/A9.3	A1/A9.3	—	C3/A9.3			A,C
A24a	3'-0"x7'-0"	D	HM	P	—	120	HM	1	22B	A1/A9.3	A1/A9.3	—	C1/A9.3			B
A25a	3'-0"x7'-0"	F	HM	P	—	60	HM	1	16	A1/A9.3	A1/A9.3	—	C2/A9.3			B
A25b	3'-0"x7'-0"		HM	P	—	60	HM	1	16	A1/A9.3	A1/A9.3	—	C2/A9.3			B
A26a	3'-0"x7'-0"	C	AL	AN	TG	—	AL	1	23M	E2/A9.3	D4/A9.3	—	C2/A9.1	PH		D,H
A26a	3'-0"x7'-0"	C	AL	AN	TG	—	AL	1	23M	E2/A9.3	D4/A9.3	—	C2/A9.1	PH		D,H
A28a	3'-0"x7'-0"	C	AL	AN	TG	—	AL	1	25B	A1/A9.3	A1/A9.3	—	C1/A9.3	PH		C4/A9.1
A28b	3'-0"x7'-0"	C	AL	AN	TG	—	AL	1	25B	A1/A9.3	A1/A9.3	—	C2/A9.3	PH		B,G,C4/A9.1
A28c	3'-0"x7'-0"	C	AL	AN	TG	—	AL	1	25B	A1/A9.3	A1/A9.3	—	C2/A9.3	PH		C,G,F
A29a	3'-0"x7'-0"	(E)	(E)	(E)	—	—	(E)	1	26	(E)	(E)	(E)	(E)			B
A29b	3'-0"x7'-0"	(E)	(E)	(E)	—	—	(E)	1	26	(E)	(E)	(E)	(E)			B
A29c	3'-0"x7'-0"	(E)	(E)	(E)	—	—	(E)	1	23C	(E)	(E)	(E)	(E)			B,D
A30a	3'-0"x7'-0"	(E)	(E)	(E)	—	—	(E)	1	23C	(E)	(E)	(E)	(E)			B
A31a	3'-0"x7'-0"	(E)	(E)	(E)	—	—	(E)	1	26	(E)	(E)	(E)	(E)			B
A32a	3'-0"x7'-0"	(E)	(E)	(E)	—	20	(E)	1	26	(E)	(E)	(E)	C3/A9.3			A,C
A33a		(E)	(E)	(E)	—	—	(E)	1	26	(E)	(E)	(E)	(E)			B
A34a	3'-0"x7'-0"	D	HM	P	—	20	HM	1	26	A1/A9.3	A1/A9.3	—	C3/A9.3			A,C
A35a	3'-0"x7'-0"	(E)	(E)	(E)	—	20	(E)	1	22A	(E)	(E)	(E)	(E)			B
A36a	3'-0"x7'-0"	(E)	(E)	(E)	—	20	(E)	1	26	(E)	(E)	(E)	(E)			E2/A9.2
A37a	3'-0"x7'-0"	(E)	(E)	(E)	—	20	(E)	1	26	(E)	(E)	(E)	(E)			C,D
A38a	3'-0"x7'-0"	(E)	(E)	(E)	—	20	(E)	1	26	(E)	(E)	(E)	(E)			C,G
A39a	2'-4"x7'-0"	(E)	(E)	(E)	—	—	(E)	1	18	(E)	(E)	(E)	(E)			B,E2/A9.2
A40a	PAIR 6'-0"x7'-0"	(E)	(E)	(E)	—	20	(E)	2	23M	(E)	(E)	(E)	(E)	PH		D
A40b	PAIR 6'-0"x7'-0"	(E)	(E)	(E)	—	20	(E)	2	23M	(E)	(E)	(E)	(E)	PH		C4/A9.1
A40c	PAIR 6'-0"x7'-0"	(E)	(E)	(E)	—	90	(E)	2	26	(E)	(E)	(E)	(E)	PH		
A40d	PAIR 6'-0"x7'-0"	(E)	(E)	(E)	—	20	(E)	2	23M	(E)	(E)	(E)	(E)	PH		D
A41a	PAIR 6'-0"x7'-0"	(E)	(E)	(E)	—	90	(E)	2	26	(E)	(E)	(E)	(E)	PH		
A42a	PAIR 6'-0"x7'-0"	(E)	(E)	(E)	—	20	(E)	2	23M	(E)	(E)	(E)	(E)	PH		D
A42b	PAIR 6'-0"x7'-0"	(E)	(E)	(E)	—	20	(E)	2	23M	(E)	(E)	(E)	(E)	PH		C4/A9.1
B1a	3'-0"x7'-0"	F	SC	—	TG	—	—	1	16A	—	—	—	C1/A9.3			B
B1b	3'-0"x7'-0"	D	HM	P	—	—	HM	1	3	B1/A9.3	B1/A9.3	B1/A9.3	D4/A9.3	PH		D
B2a	3'-0"x7'-0"	F	SC	—	TG	—	—	1	16A	—	—	—	C1/A9.3			B
B2b	3'-0"x7'-0"	D	HM	P	—	—	HM	1	3	B1/A9.3	B1/A9.3	B1/A9.3	D4/A9.3	PH		D
B3a	PAIR 6'-0"x7'-0"	(E)	(E)	(E)	(E)	—	(E)	2	23M	(E)	(E)	(E)	D4/A9.3	PH		D, H
B3b	3'-0"x7'-0"	F	SC	—	TG	—	—	1	16A	—	—	—	C2/A9.3			B
B3c	3'-0"x7'-0"	D	HM	P	—	—	HM	1	3	B1/A9.3	B1/A9.3	B1/A9.3	D4/A9.3	PH		D
B4a	3'-0"x7'-0"	D	SC	WP	—	—	HM	1	26	A1/A9.3	A1/A9.3	—	C2/A9.3			C,G, H
B4b	3'-0"x7'-0"	(E)	(E)	(E)	(E)	—	(E)	1	23P	(E)	(E)	(E)	C2/A9.1	PH		C,D, H
B5a	3'-0"x7'-0"	(E)	(E)	(E)	(E)	—	(E)	1	23P	(E)	(E)	(E)	C2/A9.1	PH		C,D
B5b	3'-0"x7'-0"	F	SC	—	TG	—	—	1	16A	—	—	—	C1/A9.3			B
B6a	3'-0"x7'-0"	(E)	(E)	(E)	—	—	(E)	1	23J	(E)	(E)	(E)	C1/A9.3	PH		D
B6b	3'-0"x7'-0"	F	SC	—	TG	—	—	1	16A	—	—	—	C1/A9.3			B
B7a	3'-0"x7'-0"	F	SC	—	TG	—	—	1	16A	—	—	—	C2/A9.3			B
B7b	3'-0"x7'-0"	D	HM	P	—	—	HM	1	3	B1/A9.3	B1/A9.3	B1/A9.3	D4/A9.3	PH		D
B8a	3'-0"x7'-0"	F	SC	—	TG	—	—	1	16A	—	—	—	C1/A9.3			B
B8b	3'-0"x7'-0"	D	HM	P	—	—	HM	1	3	B1/A9.3	B1/A9.3	B1/A9.3	D4/A9.3	PH		D
B9a	6'-0"x7'-0"	(E)	(E)	(E)	—	—	(E)	2	26	(E)	(E)	(E)	(E)			B
B10a	3'-0"x7'-0"	D	SC	P	—	20	HM	1	26	A1/A9.3	A1/A9.3	—	C3/A9.3			A,C
B11a	3'-0"x7'-0"	D	SC	P	—	20	HM	1	26	A1/A9.3	A1/A9.3	—	C3/A9.3			A,C
B12a	3'-0"x7'-0"	D	SC	WP	—	—	HM	1	13A	A1/A9.3	A1/A9.3	—	C1/A9.3			C
B13a	3'-0"x7'-0"	D	HM	P	—	—	HM	1	23J	A1/A9.3	A1/A9.3	—	C3/A9.3			A,C
B14a	3'-0"x7'-0"	D	HM	P	—	—	HM	1	16	A1/A9.3	A1/A9.3	—	C3/A9.3			A,C
B15a	3'-0"x7'-0"	(E)	(E)	(E)	—	—	(E)	1	19	(E)	(E)	(E)	(E)			A,C
B17a	3'-0"x7'-0"	(E)	(E)	(E)	—	—	(E)	1	26	(E)	(E)	(E)	(E)			C
B17b	3'-0"x7'-0"	(E)	(E)	(E)	—	—	(E)	1	26	(E)	(E)	(E)	(E)			C
B18a	3'-0"x7'-0"	(E)	(E)	(E)	—	—	(E)	1	19	(E)	(E)	(E)	(E)			E2/A9.2
B19a	3'-0"x7'-0"	(E)	(E)	(E)	—	20	(E)	1	19	(E)	(E)	(E)	(E)			E2/A9.2
B20a	5'-0"x7'-0"	(E)	(E)	(E)	—	—	(E)	2	2A	(E)	(E)	(E)	(E)			B
B21a	6'-0"x7'-0"	(E)	(E)	(E)	—	90	(E)	2	23M	(E)	(E)	(E)	(E)	PH	RELOCATE (E) DOORS	G
B22a	6'-0"x7'-0"	(E)	(E)	(E)	(E)	—	(E)	2	26	(E)	(E)	(E)	C2/A9.1	PH		D, H/A8.1
B23a	3'-0"x7'-0"	D	SC	—	—	—	—	1	13A	—	—	—	C1/A9.3			B
B24a	3'-0"x7'-0"	D	SC	—	—	—	—	1	13A	—	—	—	C1/A9.3			B
B25a	3'-0"x7'-0"	D	SC	—	—	—	—	1	13A	—	—	—	C1/A9.3			B
B26a	3'-0"x7'-0"	D	SC	—	—	—	—	1	13A	—	—	—	C1/A9.3			B
C1a	3'-0"x7'-0"	F	SC	—	TG	—	—	1	16A	—	—	—	C1/A9.3			B
C1b	3'-0"x7'-0"	D	HM	P	—	—	HM	1	3	B1/A9.3	B1/A9.3	B1/A9.3	D4/A9.3	PH		D
C2a	3'-0"x7'-0"	F	SC	—	TG	—	—	1	16A	—	—	—	C1/A9.3			C,G
C2b	3'-0"x7'-0"	D	HM	P	—	—	HM	1	3	B1/A9.3	B1/A9.3	B1/A9.3	D4/A9.3	PH		D
C3a	3'-0"x7'-0"	(E)	(E)	(E)	—	—	(E)	1	23J	(E)	(E)	(E)	C2/A9.1	PH		D
C3b	3'-0"x7'-0"	F	SC	—	TG	—	—	1	16A	—	—	—	C1/A9.3			B
C4a	PAIR 6'-0"x7'-0"	(E)	(E)	(E)	(E)	—	(E)	2	23M	(E)	(E)	(E)	C2/A9.1	PH		D
C4b	3'-0"x7'-0"	F	SC	—	TG	—	—	1	16A	—	—	—	C2/A9.3			B
C4c	3'-0"x7'-0"	D	HM	P	—	—	HM	1	3	B1/A9.3	B1/A9.3	B1/A9.3	D4/A9.3	PH		D
C5a	3'-0"x7'-0"	F	SC	—	TG	—	—	1	16A				C2/A9.3			B
C5b	3'-0"x7'-0"	D	HM	P	—	—	HM	1	3	B1/A9.3	B1/A9.3	B1/A9.3	D4/A9.3	PH		D
C6a	3'-0"x7'-0"	F	SC	—	TG	—	—	1	16A	—	—	—	C1/A9.3			B
C6b	3'-0"x7'-0"	D	HM	P	—	—	HM	1	3	B1/A9.3	B1/A9.3	B1/A9.3	D4/A9.3	PH		D
C7a	PAIR 6'-0"x7'-0"	(E)	(E)	(E)	—	90	(E)	2	26	(E)	(E)	(E)	C2/A9.1	PH	RELOCATE (E) DOORS	D, H
C7b	PAIR 5'-0"x7'-0"	(E)	(E)	(E)	—	—	(E)	2	26	(E)	(E)	(E)	C2/A9.1	PH		D
C7c	PAIR 6'-0"x7'-0"	(E)	(E)	(E)	—	—	(E)	2	26	(E)	(E)	(E)	C2/A9.1	PH		D
C8a	3'-0"x7'-0"	(E)	(E)	(E)	—	—	(E)	1	23M	(E)	(E)	(E)	(E)			C
C9a	3'-0"x7'-0"	F	SC	P	TG	—	HM	1	13A	A1/A9.3	A1/A9.3	A1/A9.3	C1/A9.3			C,B
C10a	3'-0"x7'-0"	(E)	(E)	(E)	—	—	(E)	1	23M	(E)	(E)	(E)	(E)			D
G1		(E)	(E)	(E)	—	—	(E)	—	—	(E)	(E)	(E)	(E)	PH		D4/A9.3
G2		(E)	(E)	(E)	—	—	(E)	—	—	(E)	(E)	(E)	(E)	PH		D4/A9.3
G3		(E)	(E)	(E)	—	—	(E)	—	—	(E)	(E)	(E)	(E)	PH		D4/A9.3
G4		(E)	(E)	(E)	—	—	(E)	—	—	(E)	(E)	(E)	(E)	PH		D4/A9.3
G5		(E)	(E)	(E)	—	—	(E)	—	—	(E)	(E)	(E)	(E)	PH		D4/A9.3
G6		(E)	(E)	(E)	—	—	(E)	—	—	(E)	(E)	(E)	(E)			D4/A9.3
G7		(E)	(E)	(E)	—	—	(E)	—	—	(E)	(E)	(E)	(E)	PH		D4/A9.3
G8		(E)	(E)	(E)	—	—	(E)	—	—	(E)	(E)	(E)	(E)	PH		D4/A9.3
G9		(E)	(E)	(E)			(E)			(E)	(E)	(E)	(E)	PH		D4/A9.3

ROOM FINISH SCHEDULE

ROOM NO.	ROOM NAME	FLOOR	BASE	WAINSCOT MATERIAL	WAINSCOT HEIGHT	WALLS NORTH MAT	WALLS NORTH FIN	WALLS EAST MAT	WALLS EAST FIN	WALLS SOUTH MAT	WALLS SOUTH FIN	WALLS WEST MAT	WALLS WEST FIN	CEILING MATERIAL	CEILING FINISH	CEILING HEIGHT	TRIM MATERIAL	TRIM FINISH	REMARKS
'A' WING																			
A1	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
A2	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
A3	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
A4	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
A5	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
A6	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
A7	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
A8	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
A9	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
A10	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
A11	TEACHER PREP.	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
A12	RSP	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
A13	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
A14	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
A15	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
A16	LIBRARY	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
A17	TOILET	(E)	(E)	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	2
A18	NURSE	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
A19	COT	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
A20	PRINCIPAL	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
A21	GIRLS TOILET ROOM	(E)	(E)	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	2
A22	PLUMBING	(E)	(E)	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	
A23	BOYS TOILET ROOM	(E)	(E)	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	2
A24	WORKROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
A25	ADMINISTRATION	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
A26	ENTRY	(E)	(E)	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	
A27	MULTI-USE II	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
A28	MULTI-USE I	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
A29	KITCHEN	(E)	(E)	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	
A30	ELECTRICAL ROOM	(E)	(E)	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	
A31	VICE PRINCIPAL	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
A32	BOYS TOILET ROOM	(E)	(E)	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	2
A33	PLUMBING	(E)	(E)	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	
A34	GIRLS TOILET ROOM	(E)	(E)	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	2
A35	CUSTODIAN	(E)	(E)	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	
A36	TOILET	(E)	(E)	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	
A37	COUNSELOR	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
A38	WORKROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
A39	TOILET	(E)	(E)	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	
A40	CORRIDOR	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
A40A	CORRIDOR	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
A41	CORRIDOR	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
A42	CORRIDOR	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
A42A	CORRIDOR	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
'B' WING																			
B1	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
B2	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
B3	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
B3A	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
B3B	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
B4	KINDERGARTEN CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
B5A	KINDERGARTEN CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
B5B	KINDERGARTEN CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
B6A	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
B6B	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
B7	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
B8	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
B9	CUSTODIAN	(E)	(E)	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
B10	MENS TOILET ROOM	(E)	(E)	—	—	(E)	(E)	(E)	(E)	CT	MA	(E)	(E)	(E)	(E)	9'-0"	—	—	2
B11	WOMENS TOILET ROOM	(E)	(E)	—	—	CT	MA	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	2
B12	TEACHER PREP.	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
B13	BOYS TOILET ROOM	(E)	(E)	—	—	CT	MA	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	2
B14	GIRLS TOILET ROOM	(E)	(E)	—	—	(E)	(E)	(E)	(E)	CT	MA	(E)	(E)	(E)	(E)	9'-0"	—	—	2
B15	TOILET	(E)	(E)	—	—	(E)	(E)	CT	MA	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	
B16	NOT USED	(E)																	
B17	TEACHER PREP.	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
B18	TOILET	(E)	(E)	—	—	(E)	(E)	(E)	(E)	(E)	(E)	CT	MA	(E)	(E)	9'-0"	—	—	2
B19	TOILET	(E)	(E)	—	—	(E)	(E)	(E)	(E)	(E)	(E)	CT	MA	(E)	(E)	9'-0"	—	—	2
B20	STORAGE	(E)	(E)	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	
B21	COMMON AREA	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	
B22	CORRIDOR	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
B23	WHEELCHAIR LIFT	VCT	TB4	—	—	GYP	P	GYP	P	GYP	P	GYP	P	GYP	P	9'-0"	—	—	1
'C' WING																			
C1	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
C2	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
C3	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
C4	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
C5	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
C6	CLASSROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
C7	COMMON AREA	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1, 3
C8	WHEELCHAIR LIFT	VCT	TB4	—	—	GYP	PE	GYP	PE	GYP	PE	GYP	PE	GYP	PE	9'-0"	—	—	1
C9	TEACHER PREP. ROOM	(E)	TB4	—	—	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	9'-0"	—	—	1
C10	STORAGE	(E)	(E)	—	—	(E)	(E)	(E)	(