

10/28/2008 9:35:15 AM
\\USORAT\PROJECTS\Catrans\IETMC500 CAD\Issued\2008-09-26_Bid Addendum #201-Drawings\BIM\IETMC_BLDG-Independent.rvt


F

D

C


B

A



- NOTES: 1. SEE ELECTRICAL ROOF PLAN FOR OUTLET LOCATIONS AND ANTENNA CONDUIT TYPES
2. SEE SHEET A-411, A-412, A-413 FOR WALL TYPES, INDICATED AS
3. SEE SHEET A-402 FOR WINDOW TYPES, INDICATED AS
4. SEE SHEET A-001 FOR MATERIAL KEYNOTES, INDICATED AS
5. INSTALL BLANK-OFF PANELS AT ALL UNUSED PORTIONS OF MECHANICAL ROOM WALL LOUVERS, SEE SPECIFICATION SECTION 089000
6. RIGID INSULATION MUST HAVE DENSITY <2.5 lb/sq. ft. IN THICKNESS
7. VERIFY SIZE AND SPACING OF CONC. EQUIPMENT CURBS WITH EQUIPMENT REQUIREMENTS THAT IS ACTUALLY PROVIDED
8. CONC. HOUSEKEEPING PAD SIZE AND LOCATION MUST BE VERIFIED AND COORDINATED WITH MECHANICAL AND ELECTRICAL REQUIREMENTS FOR EQUIPMENT ACTUALLY PROVIDED

SCALE: 1/8" = 1'-0"



1 ROOF MECHANICAL PENTHOUSE PLAN
1/8" = 1'-0"

PROJECT

CHP
LILLAND & LILLAND DIVISION

PROJECT ADDRESS
1392 VICTORIA STREET
FONTANA, CA 92336

CLIENT

STATE OF CALIFORNIA
DEPARTMENT OF GENERAL SERVICES
REAL ESTATE SERVICES DIVISION
PROJECT MANAGEMENT BRANCH
707 THIRD STREET, SUITE 3-305
WEST SACRAMENTO, CA 95605
PROJECT DIRECTOR: RAFAT ALFARANJI
TELEPHONE: (916) 376-1728

DESIGNER

DMJM H&N | AECOM

999 TOWN & COUNTRY ROAD, ORANGE, CALIFORNIA 92668
T: 714-967-2400 F: 714-967-2729 www.dmjmh.com

CONSULTANT

IDENTIFICATION STAMP
DIVISION OF THE STATE ARCHITECT
OFFICE OF REGULATION SERVICE
APPL. #: 04-109200-2
AC FLS SS
DATE
FILE NUMBER: RESD

STATUS

JULY 30, 2008

ISSUE

C	10/27/08	BID PERIOD ADDENDUM #5
A	9/26/08 <td>BID PERIOD ADDENDUM</td>	BID PERIOD ADDENDUM
MARK	DATE	DESCRIPTION

PROJECT NO:

60004333.4000

DRAWN BY:

GJ

CHECK BY:

JR

STAMP

SHEET TITLE

LOW ROOF PLAN

A-203A

© 2006 DMJM H&N, Inc.