

NOTES:

1. SEE SHEETS S-001 FOR GENERAL NOTES, SYMBOLS AND ABBREVIATIONS.
2. SEE SHEETS S-002 THRU S-007 FOR TYPICAL DETAILS.
3. CENTERLINE OF W COLUMNS AT GRID LINE, TYPICAL UNO.
4. FOR EQUIPMENT ANCHORAGE DETAILS, SEE SHEET S-206.
5. FOR METAL DECK SECTION PROPERTIES & WELDING REQUIREMENTS, SEE DETAIL 26/S-004.
6. BEAMS ARE EQUALLY SPACED BETWEEN GRID LINES TYP UNO.
7. INDICATES BRACING TO OPEN WEB JOIST PER DETAIL .
8. INDICATES DOUBLE SHEAR WITH REDUCED CONNECTION HEIGHT. TWO BOLTS MINIMUM, SEE DETAIL 16/S-003.
9. C=3/4" INDICATES BEAM CAMBER.
10. INDICATES BOTTOM FLANGE BRACE PER TYPICAL DETAIL 29/S-003, EQUALLY SPACED ALONG BEAM SPAN TYP, U.N.O.
11. INDICATES FULL MOMENT CONNECTION PER TYPICAL DETAIL 1/S-003.
12. INDICATES DRAG CONNECTION PER TYPICAL DETAIL 13/S-007
13. CONTRACTOR TO VERIFY ALL DIMENSIONS RELATED TO ELEVATOR.
14. FOR BRACING ELEVATIONS AND MISCELLANEOUS FRAMING ELEVATIONS, SEE SHEETS S-300, S-301 AND S-302.
15. NOT USED.
16. INDICATES FULL STIFFENER PLATE PER DETAIL 15/S-003
17. OPEN WEB STEEL JOISTS SHALL BE DESIGNED IN ACCORDANCE W/ THE MINIMUM DESIGN LOADS INDICATED IN DIAGRAM "A" IN DETAIL 2, THIS SHEET. TOP OF STEEL FOR LH JOISTS IS (+0'-8") ABOVE TYPICAL TOP OF STEEL FOR THIS LEVEL.
18. INDICATES DOUBLE ROWS CONNECTION PER DETAIL .

LEGEND:

- S-304 / NORTH — SHEET WHERE BUILDING ELEVATION IS FOUND INDICATES BUILDING ELEVATION
- NORTH — ELEVATION ORIENTATION
- S-300 / B_8-1B — SHEET WHERE FRAME ELEVATION IS FOUND INDICATES FRAME ELEVATION; GRID EXTENTS



1 / S-204 HIGH ROOF FRAMING PLAN

S-300 — 1/8" = 1'-0"

TOS EL = +43'-10 7/8" AT CONTROL ROOM, TYP U.N.O.

SCALE: 1/8" = 1'-0"
0' 4' 8' 16' 32'

NORTH

10/27/2008 3:34:26 PM
C:\BIM Projects\IETM\IETMC_S-BLDG-jn.rvt

PROJECT

I-ILLAND EMPIRE TMC
Caltrans
CHP
CLEARLY S. INLAND CUSTOMER

PROJECT ADDRESS:
13892 VICTORIA STREET
FONTANA, CA 92336

CLIENT

DGS

STATE OF CALIFORNIA
DEPARTMENT OF GENERAL SERVICES
REAL ESTATE SERVICES DIVISION
PROJECT MANAGEMENT BRANCH
400 R STREET, SUITE 5100
SACRAMENTO, CA 95814
PROJECT DIRECTOR : REG EDEN
TELEPHONE : (916) 376-1719

DESIGNER

DMJM H&N | AECOM

999 TOWN & COUNTRY ROAD, ORANGE, CALIFORNIA 92868
T: 714-567-2400 F: 567-2729 www.dmjmhn.com

CONSULTANTS

COFFMAN ENGINEERS
16133 Ventura Blvd., Suite 1010
Encino, California 91436 USA
818 285 2650 Fax 818 285 2651

DSA STAMP

IDENTIFICATION STAMP
DIVISION OF THE STATE ARCHITECT
OFFICE OF REGULATION SERVICE

APPL. #: 04-109200-2

AC _____ FLS _____ SS _____
DATE _____

FILE NUMBER: RESD

STATUS

JULY 30, 2008

ISSUE

MARK	DATE	DESCRIPTION
C	10/27/2008	BID PERIOD ADDENDUM #5
A	9/26/2008	BID PERIOD ADDENDUM

PROJECT NO: 60004333.4000
DRAWN BY: JN/RL/MAR
CHECK BY: JDL

KEY PLAN

SHEET TITLE

HIGH ROOF FRAMING PLAN

S-204

© 2006 DMJMH+N, Inc.