

NOTE:
1) SEALANT IS A MAINTENANCE ITEM. MAINTENANCE IS NOT COVERED UNDER SARNAFIL WARRANTY.
2) VAPOR BARRIER SHALL BE SEALED AT EDGES.

D-WP-0016

CONE FLASHING @ PENETRATION | SCALE: N.T.S. | 1



D-WP-0004

EQUIPMENT PAD | SCALE: 1-1/2"=1'-0" | 2



NOTES:
1) NAILERS SHALL BE SECURELY ANCHORED TO THE DECK TO RESIST A MINIMUM FORCE OF 300 POUNDS PER LINEAR FOOT. REFER TO FACTORY MUTUAL DATA SHEET 1-49.

D-WP-0003

COPING CAP @ PARAPET WALL | SCALE: 1 1/2"=1'-0" | 3



NOTES:
1) NAILERS SHALL BE SECURELY ANCHORED TO THE DECK TO RESIST A MINIMUM FORCE OF 300 POUNDS PER LINEAR FOOT. REFER TO FACTORY MUTUAL DATA SHEET 1-49.

D-WP-0003

COPING CAP @ PARAPET WALL | SCALE: 1 1/2"=1'-0" | 4



D-WC-0003

COPING CAP @ PARAPET WALL | SCALE: 3"=1'-0" | 5



NOTE: 1. SEE ROOF PLANS FOR ORIENTATION TO ADJACENT WALLS
2. ROOFING MEMBRANE PLIES, METAL FLASHING & STRIPPING PLIES SHALL ALL EXTEND UNDER CLAMPING RING

D03

ROOF DRAIN | SCALE: 1-1/2"=1'-0" | 7



D-WS-0002

DECK AT WALL SIDING | SCALE: 3"=1'-0" | 8



D-WP-0001

FLASHING @ CMU VENEER | SCALE: 1 1/2"=1'-0" | 9



D-WC-0001

COPING CAP @ PARAPET WALL | SCALE: 3"=1'-0" | 10



0334

LOUVER VENT | SCALE: 1-1/2"=1'-0" | 11



NOTE:
CONSULT SARNAFIL TECHNICAL DEPT. FOR ACCEPTABLE DETAIL WHEN FLASHING HEIGHT EXCEEDS 5'-0"

D-WP-0014

ROOFING DETAIL | SCALE: 3/4"=1'-0" | 12



D-HB-0001

HOSE BIB BOX | SCALE: 3"=1'-0" | 13



D-SSR-0001

STANDING SEAM DETAIL | SCALE: 1 1/2"=1'-0" | 15



D-SSR-0003

ZEE PURLIN DETAIL | SCALE: N.T.S. | 16



D-SSR-0003

RAIN GUTTER | SCALE: 3"=1'-0" | 17



*SNAP-ON SEAM IS COVERED UNDER US PATENT NO. 4,641,475.

D-SSR-0004

CURVE TEE PANELS | SCALE: 1"=1'-0" | 18



*SNAP-ON SEAM IS COVERED UNDER US PATENT NO. 4,641,475.

D-SSR-0005

STANDING SEAM | SCALE: FULL | 19



NOTE: CUT HOLE TO ALLOW FOR THERMAL MOVEMENT IF PANELS ARE 30'-0" OR LONGER.
NOTE: IF PIPE IS MADE OF METAL, IT MUST BE PAINTED TO PREVENT RUST RUN-OFF FROM STAINING PANELS.
NOTE: POSITION SQUARE BASED BOOT IN A DIAMOND ORIENTATION WHERE POSSIBLE TO AID IN DIVERTING WATER.

*SNAP-ON SEAM IS COVERED UNDER US PATENT NO. 4,641,475.

D-SSR-0006

VENT THROUGH ROOF | SCALE: 1 1/2"=1'-0" | 20



D-SSR-0010

VENT THROUGH ROOF | SCALE: 1 1/2"=1'-0" | 21



D-SSR-0007

EAVE DETAIL | SCALE: 3"=1'-0" | 30



D-SSR-0008

FASCIA DETAIL | SCALE: 3"=1'-0" | 32



D-WF-0005

FASCIA | SCALE: 1-1/2"=1'-0" | 26



D-SKY-0001

SKYLIGHT | SCALE: 3"=1'-0" | 27



D-SSR-0009

VENT THROUGH ROOF | SCALE: 1 1/2"=1'-0" | 28



D-DRS-0001

DRIP SCREED | SCALE: 3"=1'-0" | 33



D-HB-0002

HOSE BIB BOX | SCALE: 3"=1'-0" | 34



D-WF-0015

FASCIA @ CANOPY | SCALE: 1-1/2"=1'-0" | 35

0742 COUNTY OF ORANGE HEALTH CARE AGENCY 401 SOUTH TUSTIN STREET

County of Orange
OC PUBLIC WORKS
Architecture & Engineering

Revisions				
0742	Sym.	Descrip.	Date	By

Consultants: Drawn. | Chkd. | Date

A-E Seal: REGISTERED ARCHITECT ROBERT ALEXANDER III, STATE OF CALIFORNIA, REG. C-18311, REG. EXP. 12/31/2011

A-E: ALEXANDER + HIBBS, AIA, INC.
ALEXANDER + HIBBS AIA INC
Architecture and Planning
1300 N. ORTONS B., SUITE A
SANTA ANA, CA
(714) 836-3699

Design	DF, MS	Chkd.	AH	Date	Nov. 26, 2009

Sht Title: DETAILS
Project: COUNTY OF ORANGE HEALTH CARE AGENCY
401 SOUTH TUSTIN STREET
ORANGE, CA 92866
PROJ. NO. 100-042-P210-4200

Plan No. 52333-03608

Sheet A-7.4