NOTES:

1. T-24 OVERRIDE - ZONE 1
2. UNDER CABINET LIGHTING,TYPICAL. CONNECT TO RECEPTACLE CIRCUIT.
3. T-24 OVERRIDE - ZONE 2
4. T-24 OVERRIDE - ZONE 3
5. T-24 OVERRIDE - ZONE 4
6. T-24 OVERRIDE - ZONE 5
7. BACK SIDE OF FIXTURES IN THIS ROOM ARE TO BE PAINTED BLACK
8. SELF LUMINOUS EXIT SIGN, PERIMEX #P-160-G-20-SS
9. Sa Sb Sc Sd Se Sf Sg Sh Si Sj

NOTES

ALL ANIMAL AREA LIGHT FIXTURES ARE TO BE GASKETED

SWATT | MIERS ARCHITECTS

5845 Doyle Street,
Suite 104
Emeryville, CA 94608
Tel: 510 985 9779
Fax: 510 985 0116
www.swattmiers.com

Not for Construction

PALM SPRINGS ANIMAL CARE FACILITY

4575 E. MESQUITE AVE.
PALM SPRINGS, CA 92262

CITY OF PALM SPRINGS
PROJECT NO. CP. 07-24

APN: 680-020-010

Issue

Rev	Date	By	Description
1	11/23/09		BLDG. PERMIT SET
2	01/18/10		BID SET

Drawn By
Checked By
Job No.
Issue Date
Scale 1/8"=1'-0"

Reference North

Drawing Title

FLOOR LIGHTING PLAN PART-A

JAN 19 2010

BID SET

PREVAILING WAGE JOB

KEYPLAN



REGISTERED PROFESSIONAL ENGINEER
GERALD L. BREEN
No. E015691
Exp. 06-30-10
ELECTRICAL
STATE OF CALIFORNIA

KRUSE & ASSOCIATES
12245 WORLD TRADE DRIVE, STE. E
SAN DIEGO, CALIFORNIA 92128
(858) 676-9776
FAX #676-9744

Sheet

E2.1

These plans, drawings and specifications are the property of Swatt | Miers Architects and any use and/or reuse thereof in part or in whole without the written permission of the Architect is prohibited.
Copyright 2009 Swatt | Miers Architects